

The following is a copy of Applicants' currently pending claims.

1-36 (Canceled)

37. (Previously presented) A system comprising:

a browser having an applications program interface (API) and a user identification (ID) coupled to the API, the user ID comprising a reference to a user profile associated with a profile store, the user profile comprising a reference to a graphics store and a composition store associated with a user, the API exposed to web content downloaded to the web browser over a network, the web content comprising one or more graphics;

a user profile server comprising the profile store, wherein the profile store comprises user specific data;

a graphics server comprising the graphics store, wherein the graphics store is configured to enable network access by the browser of the one or more graphics; and

a composition server comprising the composition store, wherein the composition store comprises one or more compositions that determine the manner in which the one or more graphics are mapped into a series of web pages,

wherein the browser is coupled over a network to the user profile server, the graphics server, and the composition server, and wherein the API is configured to make the user specific data and the one or more graphics formatted according to the one or more compositions available to a first web service, wherein the API is configured to enable the first web service to perform optical character recognition on the one or more

BEST AVAILABLE COPY

graphics in response to a request by the first web service for information pertaining to the user profile.

38. (Previously presented) The system of claim 37, wherein the user profile comprises a reference to a composition associated with the composition store, a reference to a default composition associated with the composition store, or a combination of both.

39. (Previously presented) The system of claim 38, wherein the reference comprises a universal resource locator (URL).

40. (Previously presented) The system of claim 37, wherein the browser is configured to receive the web content.

41. (Previously presented) The system of claim 40, wherein the API, responsive to activation by the web content, uses the user ID to access the user profile.

42. (Previously presented) The system of claim 41, wherein responsive to the access of the user profile, the web browser is configured to present the web content using the user specific data.

43. (Canceled)

BEST AVAILABLE COPY

Serial No.: 09/993,116
Art Unit: 2178

44. (Previously presented) The system of claim 37, wherein the graphics store is configured to enable manipulation of formats over the network for the one or more graphics.

45. (Canceled)

46. (Previously presented) The system of claim 44, wherein the API, responsive to activation by the web content, creates the one or more graphics and stores the same in the graphics store.

47. (Previously presented) The system of claim 37, wherein the one or more compositions comprise a reference to the one or more graphics in the graphics store.

48. (Previously presented) The system of claim 37, wherein the composition store comprises a default composition store.

49. (Previously presented) The system of claim 37, wherein the one or more compositions comprise a default composition or default compositions.

50. (Previously presented) The system of claim 37, wherein the API, responsive to activation by the web content, creates the one or more compositions and stores the same in the composition store.

Serial No.: 09/993,116
Art Unit: 2178

51. (Previously presented) The system of claim 37, wherein the reference comprises a universal resource locator (URL).
52. (Previously presented) The system of claim 37, wherein the profile store comprises user specific data for a plurality of users.
53. (Previously presented) The system of claim 37, wherein the API, responsive to activation by the web content, changes the reference in the user profile store.
54. (Previously presented) The system of claim 37, wherein the graphics server provides text information.
55. (Canceled)
56. (Previously presented) A method for providing user-specific web pages, comprising:
- receiving web content comprising one or more graphics;
 - responsive to activation by the web content:
 - storing the one or more graphics in a network accessible graphics store;
 - creating one or more compositions corresponding to the manner in which the one or more graphics are mapped into web pages and storing the same in a network accessible composition store;
 - in response to a web service request for information, enabling access of a user profile by the web service, the user profile associated with a network accessible profile

BEST AVAILABLE COPY

store, the user profile comprising a reference to the graphics store, the composition store, and the one or more compositions; and

enabling optical character recognition by the web service of the one or more graphics to provide the requested information for use in presentation in the web pages with data specific to a user corresponding to the user profile and with the one or more graphics formatted based on the one or more compositions.

57. (Previously presented) The method of claim 56, wherein the reference comprises a universal resource locator (URL).

58. (Canceled)

59. (Previously presented) The method of claim 56, wherein enabling access comprises providing a user identification (ID) comprising a reference to the user profile.

60. (Previously presented) The method of claim 56, wherein creating one or more graphics comprises invoking an applications program interface (API) based on the web content.

61. (Previously presented) The method of claim 56, wherein creating one or more compositions comprises invoking an applications program interface (API) based on the web content.

BEST AVAILABLE COPY

62. (Previously presented) The method of claim 56, wherein storing comprises storing in a single server.

63. (Previously presented) The method of claim 56, wherein storing comprises storing in a plurality of servers.

64. (Previously presented) The method of claim 56, further comprising changing the reference responsive to activation by web content.

65. (Previously presented) The method of claim 56, wherein the graphics comprise text information.

66. (Previously presented) A system comprising:

- means for receiving web content comprising one or more graphics;
- responsive to activation by the web content:
- means for storing the one or more graphics in a network accessible graphics store and creating one or more compositions corresponding to the manner in which the one or more graphics are mapped into web pages and storing the same in a network accessible composition store;
- in response to a web service request for information, means for enabling access of a user profile by the web service, the user profile associated with a network accessible profile store, the user profile comprising a reference to the graphics store, the composition store, and the one or more compositions; and

Serial No.: 09/993,116
Art Unit: 2178

means for enabling optical character recognition by the web service of the one or more graphics to provide the requested information for use in presentation in the web pages with data specific to a user corresponding to the user profile and with the one or more graphics formatted based on the one or more compositions.

BEST AVAILABLE COPY